

Request a video device's wireless signal strength

GoSafer Security Knowledge Base

This operational reference is organized for GoSafer Security customers and staff. Alarm.com product names are retained where required for technical accuracy.

Overview

Video device wireless signal strength can be checked remotely at any time.

Platform	App + Web
Content type	How-to / Configuration
Source last updated	2026-05-11

Procedure

Step-by-step guide: Screenshots and videos are placed with the instruction they illustrate.

Video device wireless signal strength can be checked remotely for devices on the customer account at any time using the Alarm.com app or GoSafer Security customer portal (powered by Alarm.com), or during device installation using the Alarm.com app. It is generally recommended for video devices to have at least 66% wireless signal strength.

Request a video device's Wi-Fi signal strength

During installation

A camera's Wi-Fi signal strength can be tested through the Alarm.com app during the installation process. To use this feature, you will need one of the following compatible Alarm.com cameras:

- ADC-V515
- ADC-V516
- ADC-V523/523X
- ADC-V530
- ADC-V723/723X
- ADC-V724/724X
- ADC-V730
- ADC-V731B
- ADC-VDB750
- ADC-VDB770
- ADC-VDB775

How to request a video device's Wi-Fi signal strength during installation:

1. Log in to the Alarm.com app.
2. Tap **Video**.

3. Tap **Settings**.
4. Tap **Add Device**.
5. Tap the specific device or enter the MAC address to start the installation wizard.
6. Enter a name for the device.
7. Tap **Next**.
8. In *Configure Device*, tap **Next** after the device is installed.
9. Tap **Request Signal Strength** to request an updated Wi-Fi signal strength.

Wi Fi Signal Strength Test Customer App

Wi Fi Signal Strength Test Customer App

10. Tap **Next** to continue and configure the camera as desired.

Alarm.com app

1. Log in to the Alarm.com app.
2. Tap **Video Camera**.
3. Tap **Settings**.
4. Tap to select the desired video device.
5. Tap the Wi-Fi signal strength card.

Wi Fi signal strength card

Wi Fi signal strength card

Note: The online status and Wi-Fi signal strength cards automatically display the date and time of the most recent check-in.

6. Tap **Request Signal Strength**.

GoSafer Security customer portal (powered by Alarm.com)

1. Log in to the GoSafer Security customer portal (powered by Alarm.com).
2. Click **Video**.
3. Click **Settings**.
4. Select the desired video device.
5. Click the Wi-Fi signal strength card.

cx website wi fi signal strength card
cx website wi fi signal strength card

Note: The online status and Wi-Fi signal strength cards automatically display the date and time of the most recent check-in.

6. Click **Request Signal Strength**.

Source and support

For GoSafer Security assistance, visit gosaferssecurity.com.

Original

Alarm.com

reference:

https://answers.alarm.com/Customer/Website_and_App/Video/Video_Settings/Request_a_video_device's_wireless_signal_strength

Always verify safety, installation, compatibility, and current UI details against the original manufacturer documentation before operational use.

Revision #1

Created 2026-09-01 00:30:18 UTC by Jerdenn Calag

Updated 2026-09-01 16:40:51 UTC by Jerdenn Calag